

Journal of Biomedical Optics

SPIDigitalLibrary.org/jbo

Errata: *In vivo* measurement of the shape of the tissue refractive-index correlation function and its application to detection of colorectal field carcinogenesis

Andrew J. Gomes
Sarah Ruderman
Mart DelaCruz
Ramesh K. Wali
Hemant K. Roy
Vadim Backman

Errata: *In vivo* measurement of the shape of the tissue refractive-index correlation function and its application to detection of colorectal field carcinogenesis

Andrew J. Gomes,^a Sarah Ruderman,^a Mart DelaCruz,^b Ramesh K. Wali,^b Hemant K. Roy,^b and Vadim Backman^a

^aNorthwestern University, Department of Biomedical Engineering, Evanston, Illinois 60218

^bNorthShore University Health System, Department of Internal Medicine, Evanston, Illinois 60218

[DOI: [10.1117/1.JBO.17.5.059801](https://doi.org/10.1117/1.JBO.17.5.059801)]

This article [*J. Biomed. Opt.* **17**, 047005 (2012)] was originally published online on 18 April 2012 with errors in Eqs. (12) and (13): the exponent $(2m + 4)$ in both equations has been changed to $(2m - 4)$. The corrected equations are displayed below.

$$I_{\parallel}(\lambda) \propto \lambda^{(0.45m-0.033)(2m-4)}, \quad (12)$$

$$I_{\perp}(\lambda) \propto \lambda^{(0.246m+1.067)(2m-4)}. \quad (13)$$

The article was corrected online on 20 April 2012. It appears correctly in print.